

# Easyhand T

Catalogue  
2013-01  
EN



# Easyhand T/TZ

---



# Complete lift units Easyhand T/TZ



Product No.	Product	Media	Lift capacity
6130001	Easyhand T 100/802 2.5 m	1.25 kW incl. box	35 kg
6130002	Easyhand T 100/902 2.5 m	2.4 kW incl. box	>35 kg
6130003	Easyhand T 100/150 2.5 m	Ejector	35 kg
6130004	Easyhand TZ 100/802 2.5 m	1.25 kW incl. box	35 kg
6130005	Easyhand TZ 100/902 2.5 m	2.4 kW incl. box	>35 kg
6130006	Easyhand TZ 100/150 2.5 m	Ejector	35 kg

## Note

Specify engine voltage when ordering:


- A: 3 - phase / 50Hz / 200 V
- B: 3 - phase / 50Hz / 220 - 240 V
- C: 3 - phase / 50Hz / 380 - 415 V
- D: 3 - phase / 60Hz / 220 V
- E: 3 - phase / 60Hz / 240 - 275 V
- F: 3 - phase / 60Hz / 440 - 480 V

A complete electric lift unit contains:


- \* lift unit
- \* filter unit
- \* pump unit (electric) with silencing box
- \* hose clamps (hose  $\varnothing$ 25 mm is not)

A complete pneumatic lift unit contains:

- \* lift unit
- \* filter (built-in)
- \* pump unit (Piab ejector in top of unit)



Easyhand T



Easyhand TZ

Select tool from Easyhand M

**Movomech AB**  
Kabelvägen 9  
SE-29162 Kristianstad  
Sweden

Phone +46 (0)44 28 29 00  
Fax +46 (0)44 28 29 28  
Email [info@movomech.se](mailto:info@movomech.se)

[www.movomech.se](http://www.movomech.se)

